



产品认证证书

证书编号: CQC2010010305449786

申请人名称及地址

施耐德电气(中国)有限公司上海分公司
上海市普陀区绥德路669号

制造商名称及地址

Schneider Electric Industries SAS
35 Rue Joseph Monier 92500 Rueil-Malmaison, France

生产企业名称及地址

SCHNEIDER ELECTRIC INDUSTRIES SA(V054246)
52 Rue De Dion Bouton ZI Nord F-87280 LIMOGES France

产品名称和系列、规格、型号

电感式接近开关

XS8-C, XS8-D, XS8-E, XS9-C, XS9-E; 详见参数附件

产品标准和技术要求

GB/T 14048.10-2016

认证模式

产品型式试验+获证后监督

上述产品符合 CQC11-462142-2019 认证规则的要求, 特发此证。

发证日期: 2020年11月13日 有效期至: 2025年11月13日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2020年08月25日

主任: _____

陆楠



中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC2010010305449786

NAME AND ADDRESS OF THE APPLICANT

Schneider Electric (China) Co. Ltd. Shanghai Branch
No. 669, Suide Road, Putuo District, Shanghai, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Schneider Electric Industries SAS
35 Rue Joseph Monier 92500 Rueil-Malmaison, France

NAME AND ADDRESS OF THE FACTORY

SCHNEIDER ELECTRIC INDUSTRIES SA (V054246)
52 Rue De Dion Bouton ZI Nord F-87280 LIMOGES France

PRODUCT NAME, MODEL AND SPECIFICATION

Inductive Proximity Switch
XS8-C, XS8-D, XS8-E, XS9-C, XS9-E; See the Appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 14048.10-2016

TYPE OF CERTIFICATION SCHEMES

Type Testing of Product + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC11-462142-2019 .

Valid from: Nov.13,2020

Valid until: Nov.13,2025

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Aug.25,2020

President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>



产品认证证书

附 录

证书编号: CQC2010010305449786

第 1 页 共 2 页

纸 号: 402768

XS8-C,XS8-D,XS8-E,XS9-C,XS9-E;
AC-140,DC-12;
Ue:AC/DC24V-240V;
Ie:5-300mA AC,5-200mA DC,5-100mA AC/DC,5-200mA AC/DC;
Sn:10mm,15mm,25mm,60mm(Non embedded),
10mm,15mm,40mm(embedded);
f:150,800,1000,2000Hz

注: 此附录与证书同时使用时有效。

主任: _____

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附 录

证书编号: CQC2010010305449786

第 2 页 共 2 页

纸 号: 402768

型号解释:

XS8	C1	A1	M	B	L01U20
I	II	III	IV	V	VI

I	开关类型 XS8 - 通用型 XS9 - 应用型
II	外形尺寸 E1 - 13 * 26 * 26 C1 - 15 * 40 * 40 D1 - 26 * 80 * 80
III	通用型材料或应用类型 A1 - 塑料通用型 1R - 旋转监控应用型
IV	输出 M - 2 线 ac/dc
V	功能 Function A - NO (常开) B - NC (常闭)
VI	线缆和连接 Lx 或 Lxx - 电缆, x或xx 代表线缆长度 U20 - 1/2 in. 20 UNF连接器 LxxU20 - 带电缆的1/2 in. 20 UNF连接器

注: 此附录与证书同时使用时有效。

主任:

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>